


Channel grating AUTOLINEA 250 to 400 - C250 class



CxD (mm)	b (mm)	f (mm)	e (mm)	e1 (mm)	Waterway area	Packaging	Masse (kg)	References
750x250	16	40	30	50	9.00 dm ²	30	18.10	ECAL25PF
750x300	18	50	30	56	11.20 dm ²	30	19.60	ECAL30PF
750x400	24	51	30	75	15.00 dm ²	30	24.80	ECAL40PF

Material and coating:

- Frame and grating in Ductile Iron EN GJS 400-15: water base

Origine France Garantie

- This product is made in France in our foundry in Blénod-les-Pont-A-Mousson (54), and is certified Origine France Garantie. This guarantees consumers that the product is made in France in accordance with specifications available on originefrancegarantie.fr. The certification number is: BVCert 6026906.



- *“Origine France Garantie certification is awarded by an independent certification body. Checks are then carried out every year to ensure that the product is indeed 100% made in France and that at least 50% of the product's manufacturing costs (including raw materials) are of French origin”.»*

Field of application:


- C250 class (Group 3) according to standard EN 124-2, destined to the circulated pavements and similar locations exposed to the access of vehicles.
- Channels located along pavement kerbs, excluding singular points which may be subject to crosswise traffic.

Main characteristics:

- Gratings particularly adapted to the big length of channels
- Automatic chaining by spring bar
- [Simple assembly and fast disassembling](#)
- Protection against theft, cannot be dismantled without tool
- [Implementation](#)

Hole dimensions mm	Length mm	Width mm
250	101 to 167	29
300	123 to 154	29
400	164	29

Linked products



Assembly and disassembling of the AUTOLINEA gratings



Grating AUTOLINEA C250 -
Dimensions of concrete channels

The information on this sketch is, to the best of our knowledge correct at the time of printing. However Saint-Gobain are constantly looking at ways of improving their products and services therefore reserve the right to change without prior notice, any of the data shown. Any orders placed will be subject to our Standard Conditions of Sale, available on request.